IMPLEMENTING OCCUPATION BASED PRACTICE AMONG BANGLADESHI OCCUPATIONAL THERAPISTS IN DIFFERENT CLINICAL SETTINGS



By Nipa Monalisa

March, 2018

This thesis is submitted in total fulfillment of the requirements for the subject RESEARCH 2 & 3 and partial fulfillment of the requirements for degree:

> Bachelor of Science in Occupational Therapy Bangladesh Health Professions Institute (BHPI) Faculty in Medicine University of Dhaka

Project paper completed by: **Nipa Monalisa** 4th year, B.Sc. in Occupational Therapy Bangladesh Health Professions Institute (BHPI) Centre for the Rehabilitation of the Paralysed (CRP) Savar, Dhaka-1343

Signature

Supervisor's name, designation and signature: Julkar Nayan Associate Professor Department of Occupational Therapy Bangladesh Health Professions Institute (BHPI) Centre for the Rehabilitation of the Paralysed (CRP) Savar, Dhaka-1343

Signature

Head of Departments name, designation and signature: **SK. Moniruzzaman** Assistant Professor& Head of the Department Department of Occupational Therapy Bangladesh Health Professions Institute (BHPI) Centre for the Rehabilitation of Paralysed (CRP) Savar, Dhaka-1343

Signature

Board of Examiners

Shamima Akter

Assiatant Professor Department of Occupational Therapy Bangladesh Health Professions Institute Center for the Rehabilitation of the Paralysed (CRP) Savar, Dhaka-1343

Signature

Md. Julker Nayan

Associate Professor Occupational Therapy Department Bangladesh Health Professions Institute Center for the Rehabilitation of the Paralysed (CRP) Savar, Dhaka-1343

Signature

Sumon Kanti Chowdhury

Senior Research Investigator Icddr, b Mohakhali, Dhaka- 1212

Signature

Statement of Authorship

Except where is made in the text of the thesis, this thesis contains no materials published elsewhere or extracted in whole or in part form a thesis presented by me for any other degree or diploma or seminar.

No others person's work has been used without due acknowledgement in the main text of the thesis.

This thesis has not been submitted for the aware of any other degree or diploma in any other tertiary institution.

The ethical issues of the study has been strictly considered and protected. In case of dissemination the finding of this project for future publication, research supervisor will highly concern and it will be duly acknowledged as undergraduate thesis.

Signature: _____ Date: _____

Nipa Monalisa

4th year, B.Sc. in Occupational Therapy Bangladesh Health Professions Institute (BHPI) Centre for the Rehabilitation of the paralysed (CRP)

Acknowledgement

In this content firstly, I will show my gratitude to Almighty Allah for giving me the strength to conduct this research study. I would like to give thanks to my all family members for support and inspired me always. I am indebted to a large number of people who have provided invaluable support and encouragement for accomplishing this undertaking. I would like to pay my highest gratitude to my honorable supervisor, Md. Julker Nayan and also thanks to assistant supervisor Md. Safayeter Rahman and Kaniz Fatema who gave me the opportunity to work with a new topic and guided me during the time of conducting this study. In addition, I have benefited from respectable teachers of Occupational Therapy department. Finally, a word of appreciation to all of participants who have greatly contributed to complete this study. I would like to state my grateful feelings towards my friends and juniors for their splendid assistance and helpfulness.

Dedication

Dedicated to my honorable and beloved parents, my respected all teachers of Bangladesh Health Professions Institute and my little sister.

Table of Conten	its
Title page	II-III
Statement of Authorship	IV
Board of Examiners	V
Acknowledgement	VI
Dedication	VII
Table of Contents	VII-IX
List of Tables	X
List of Figures	IX
List of Appendixes	X-XI
Key Abbreviations	XI
Abstract	XII

CHAPTER 1: INTRODUCTION	Page no 1-5
1.1 Background information	2
1.2 Justification	3
1.3 Operational definition	4-5
CHAPTER 2: LITERATURE REVIEW	Page no 6-12
2.1 Occupational Therapy	6
2.2 Foundation of Occupational Therapy	6-7
2.3 Occupation based practice	7-8
2.4 Occupation	8
2.5 Occupational Therapy Practice Framework	9
2.6 OBP in worldwide	10
2.7 OBP in Bangladesh	10
2.8 Facilitators of implementing OBP	11
2.9 Challenges of barriers to implementing OBP	11-12
CHAPTER 3: METHODOLOGY	Page no 12-22
3.1 Research Question	12
3.2 Study aim and specific objectives	12
3.3 Conceptual framework	13
3.4 Study design	14
3.5 Study population	14
3.6 Study period	15
3.7 Sample size	15
3.8 Inclusion and exclusion criteria	15-16
3.9 Sampling techniques	16
3.10 Data collection tools	16
3.11 Data collection methods	17
3.12 Data management and analysis	17

3.13 Quality control and quality assurance	18
3.14 Ethical consideration	19
3.15 Field study	20
3.16 Rigour	21
3.17 Summary of data analysis and result	22
CHAPTER 4: RESULTS & DISCUSSION	Page no 23-40
4.1 Theme 1	23-27
4.2 Theme 2	28-29
4.3 Theme 3	30-34
4.4 Theme 4	35-37
4.5 Theme 5	38-40
CHAPTER 5: CONCLUSION	Page no 41-43
5.1 Limitation	41
5.2 Conclusion	42
5.3 Recommendation	43
REFERENCES/BIBLIOGRAPHY	Page no 44-48
APPENDIX	Page no I–IX

List of Figures

S.N	Figure	Торіс	Page no
01	Figure 1	Occupational Therapy Practice	09
		Framework	

List of tables

S. N.	Table	Торіс	Page no
01	3.18	Summary result of data analysis	19
02	4.1	Good understanding of OBP among Occupational Therapists in Bangladesh	22
03	4.2	OBP is most important for evidence based practice	24
04	4.3	Implementing OBP is a challenging most of the time	26
05	4.4	Expand knowledge about OT of the client is the best facilitators of implementing OBP	30
		List of Appendix	
S.N	Appendix	Торіс	Page no
01	Appendix 1	IRB Approval Letter	Ι

Permission letter for data collection

II

Appendix 2

02

03	Appendix 3	Information sheet, consent form &	III,V,V
		question in Bangla	
04	Appendix 4	Information sheet, consent form & question in English	VI,VII,VIII
05	Appendix 5	Overall information of participants	IX

List of Abbreviations

ОТ	:Occupational Therapy		
OBP	:Occupation Based Practice		
OTPF	:Occupational Therapy Practice Frame work		
ADLs	:Activities of Daily Living		
IADLs	:Instrumental Activities of Daily Livings		
WFOT	:World Federation of Occupational Therapy		
AOTA	:American Occupational Therapy Association		
СОТА	:Canadian Occupational Therapy Association		
ВОТА	:Bangladesh Occupational Therapy Association		
CRP	:Center for the Rehabilitation of the Paralysed		
CDD	:Centre for the Disability & Development		
NIMH	:National Institute of Mental Health		
NINH	:National Institute of Neurosciences & Hospital		

ABSTRACT

Background: Occupation Based Practice (OBP) is the core skills of Occupational Therapy. OBP is one of the client centered practice in which both the occupational therapists and the client cooperatively select a design meaningful activities based on clients, interests, needs, health and participation in daily life. But there are many challenges for occupational therapists to use OBP in their practice area. Particularly for those who are working in the medical oriented settings. This study was focused to know the present situation of implementing OBP among Occupational Therapists in Bangladesh.

Objective: Objectives of this study were to understand the perception of OBP among OT who are practicing in Bangladesh, to identify the positive factors or influencing of implementing OBP among Bangladeshi Occupational Therapists. To explore the challenge and barriers of implementing OBP in different settings.

Result and discussion: After analyzing data it was found that, Occupational Therapists who are working in Bangladesh they have good understanding of OBP. Good therapeutic relationship and positive feedback influences an Occupational therapists to provide OBP. But they faces challenges to implement OBP such as poor referral, limited time, limited manpower, poor arrangement of settings and insufficient training that's are the factors.

Conclusion: OBP is one of the client centered practice in which both the occupationa therapists and the client cooperatively select a design meaningful activities based on clients, interests, needs, health and participation in daily life. The main focus of OBP is client's enablement to engage and participate in real life situation. OBP also effective in minimizing deteriorate in leisure and ADLs engagement.

Key words: Occupational Therapy, Occupation, Occupation based practice

CHAPTER 1: INTRODUCTION

Occupation Based Practice (OBP) is the core skills of OT. OBP is expected to be based on occupation (Che Daud et al., 2015). In the OT context, "occupation is defined as activities and tasks of everyday life, named, organized, and given value and meaning by individuals and a culture" (Canadian Association of Occupational Therapists, 2004). The area of human occupation includes "activities of daily living ADLs, instrumental activities of daily living IADL, rest, sleep, education, work, play, leisure and social participation" (American Occupational Therapy Association, 2014). OBP emphasizes the purposeful occupation that meaning arises from the therapists & client interaction during therapeutic session (Khayatzadeh et al., 2015). OBP is one of the client centered practice in which both the occupational therapists and the client cooperatively select a design meaningful activities based on clients, interests, needs, health and participation in daily life (Polataijko et al.,2013). The main focus of OBP is client's enablement to engage and participate in real life situation (Che Daud et al., 2015). OBP also effective in minimizing deteriorate in leisure and ADLs engagement. It was found that occupational therapists had positive impact on OBP (Roy et al., 2017). The authors believe that using OBP is one of the strategy which is identified the OT is a unique profession and different from other professions (Che Daud et al., 2015).

OBP shaping our professional identity. OBP inspired an occupational therapist to put occupation central to treatment (Che Daud et al., 2015). Adlof Meyer, is the founders of OT profession, asserted that engagement in occupation provides opportunities to fulfill an

individual's need (Gillen & Greber, 2014). It is possible to restore, improve and enable the clients to engage in purposeful occupations by providing OBP (Hammel & Iwama, 2012). OT began from the belief of purposeful occupation which promotes mental and physical health (Gray, 1998). Currently WFOT statistics show that there has 350,000 practitioners are practicing OT in the world wide (WFOT, 2016). All of the Practitioners are practice in different setting such as neuro rehabilitation, mental health rehabilitation, pediatric rehabilitation, spinal cord injury rehabilitation, special school settings, government sector, (NGO) Non-Government sector, respiratory rehabilitation, etc. Bangladesh is not exceptional, the same practice are continue here. In 1999, OT was established. In 2017, 244 qualified occupational Therapists are completed graduation and working in different settings (Shonirvor, 2017). In developing countries like Bangladesh, OT profession grow up is very difficult because of economic condition, cultural variation, lack of awareness, health system. Social aspect is a great issue to developing OT profession. Engagement in occupation is not just purposeful for every individuals, but also helps to discard their impairment and to improve occupational functioning (Canadian Association of Occupational Therapists, 2004). Logistics issues also impact the capability of occupational therapists to provide OBP (Colainni & Provident, 2010; Stack & Barker, 2010). A recent literature found OBP is effective in improving ADLs and quality of life for the clients. But there are many challenges for occupational therapists to use OBP in their practice area (Khaytzadeh et al., 2015). Particularly for those who are working in the medical oriented settings. Price & Miner (2007) explain the OBP using therapeutic use of self, where the Occupational therapists uses his or her perception, judgement, insight, and personality as part of the therapeutic process There has a limited number of qualitative studies which

examine the experience of implementing OBP. Hoshmand & Polkinghorne, (1992) explain that there should be a better link between theory and practice. The findings will help occupational therapists better identify and apply occupation-based approaches in their own practices.

1.2 Justification:

Adlof Meyer, is the founders of OT profession, asserted that engagement in occupation provides opportunities to fulfill an individual's need (Gillen & Greber, 2014).Occupation as an idea that appears in the therapeutic process, has bearing of both doing and becoming (Price & Miner, 2007). In this literature, it will be show that how Bangladeshi Occupational Therapists are doing OBP.

This is an important area of research in Bangladesh. This study was explore the idea, concept, or perceptions and experience of implementing OBP. Though the investigator is an OT students so, this study will help the researcher to gain appropriate knowledge in this area. This study findings will make concern to identify gap to implement OBP. This study will also help to develop a literature on challenging issue of practicing OT effectively in Bangladesh.

Researcher feel that this study will develop the strong evidence OT Professions in Bangladesh. People will know about this professions and difference it from others health professions. And Bangladeshi Occupational Therapists get opportunity to Evidence Based Practice. By this study when challenging factors will be found then the policy maker will concern to take necessary steps to consider these challenges in the practice area. It will help to establish an appropriate settings for implementing OBP in Bangladesh.

OBP benefits the clients and creates OT as a unique as the intervention utilizes occupational and purposeful tasks, as the core skills of OT (Wilcock, 2007).Within the medical-oriented setting like Centre for the Rehabilitation of the Paralyzed (CRP), Neuroscience hospital settings and others. Occupational therapists found it difficult to integrate occupational tasks such as cooking, craft, gardening, farming and other daily living activities (Schemm, 2017). Restitution issues for OBP were also a challenge because solicit for OBP is complicated and not direct (Ward et al., 2017). There is no recently definition of Occupational based practice and its opportunity in the literature (Price & Miner 2007). Given these challenges for practice, and continue this situation in Bangladesh the OT Profession has struggled with professional integrity and incomplete recognition (Grav, 1998; Trombly 1993).

So, the proposed study will be the first ever study in Bangladesh describing the status of practicing OT. It will create a new era of rehabilitation sector in Bangladesh.

1.1 Operational Definition:

1.4.1 Occupational Therapy: OT is a client-centered health profession concerned with promoting health and well-being through occupation (Fisher, 2014). The primary goal of OT is to enable people to participate in the activities of everyday life (Chisholm, 2004).

Occupational therapist achieve this outcome by working with people and communities to enhance their ability to engage in the occupations they want to, need to, or are expected to do, or by modifying the occupation or the environment to better support their occupational engagement (World Federation of Occupational Therapy, 2012).

1.4.2 Occupation: Occupation in OT means all activities that occupy people's time and give meaning to their life. OT refers to all of the activities that occupy people's time and give meaning to their life (Rosa, 2009).

1.4.3 Occupation Based Practice: A type of OT intervention - a client-centered intervention in which the OT practitioner and client collaboratively select and design activities that have specific relevance or meaning to the client and support the client's interests, need, health, and participation in daily life (American Occupational Therapy Association, 2008).

CHAPTER 2: LITERATURE REVIEW

2.1 Occupational Therapy

OT is a prestigious health profession that helps people beyond the lifetime to do the things they want to and need to do through the therapeutic use of daily activities. OT professionals enable to people of all ages to live a healthy and meaningful life (American Occupational Therapy Association, 2018).

According to WFOT 2012, "Occupational therapy is a client-centered health professions concerned with promoting health and well-being through occupation. The primary goal of OT is to enable people to participate in the activities of everyday life" (Wilcock, 2006). Occupational therapists achieve this outcome by working with people and communities to enhance their ability to engage in the occupations they want to, need to, or are expected to do or by modifying the occupation or the environment to better support their occupational engagement (World Federation of Occupational Therapy, 2012).

OT professional have a holistic approach, in which the focus is on modify the environment and/or task to fit the person, and the person is an essential part of the therapy team. It is an evidence-based practice intensely established in science (American Occupational Therapy Association, 2018).

2.2 Foundation of Occupational Therapy

The profession of OT was built on the foundation of occupation that has power to heal (Jackson, 1998). The 1960s were a time of change for the profession, during which there was a realization that OT had neglected occupation, its main modality and unique contribution (Kielhofner, 2004). Since the early 20th century, OT believed that purposeful occupation promotes mental and physical health (Trombly, 1995). From the beginning of OT Occupational therapists have been using occupation as their primary intervention medium for people with disability (keilhofner, 2009). The conceptual framework of OT made of Social model, the model of human occupation, the Canadian model of occupational performance and the theories of occupational therapists use conceptual framework that incorporate elements such as: (a) Participation in Occupation; (b) removing barriers to occupation as a means; (f) intactness; and (g) facilitating social integration in the community in guiding them to OBP (Ward et al., 2007).

2.3 Occupation Based Practice

Since the foundation of our profession (OBP) has been documented in the OT literature (World Federation of Occupational Therapy, 2006). OBP embraces occupation as its core skills and intervention modality of OT (Guzelkucuk, Duman, Taskaytan & Dincer 2007). A study of OT in 1998 Gray found that occupation is meaningful and goal-oriented, and that "occupation, when it is using as an activity with wholeness, purpose, and meaning to

the person, can also impact him or herself psychologically, emotionally, and socially in ways that purposeful activity unrelated to the person cannot". OBP involves a type of client-centered practice in where both the occupational therapists and the client cooperatively select and design purposeful activities based on the client's interests, needs, health and participation in daily life (Hammel & Iwama, 2012). Currently it was found that OBP has a multiple perspectives (Polatajko et al., 2013). These perspective also emphasizes providing intervention in the individual's or family's natural contexts (Chishohm, Dolhi, & Schreiber, 2000; Fidler, 2000; Gray, 1998; Hocking, 2001; Pierce, 2003). Price & Miner (2007) stated that, OBP is not an intervention but also it is a therapeutic process whereby the Occupational therapist and the client re-create the meaning of therapy. OBP using for "therapeutic use of self" where the occupational therapists uses his or her perception, judgement, insight and personality as part of the therapeutic process (American Occupational Therapy Association, 2014). OBP keep up our professional identity.

2.4 Occupation:

To understand occupation-based practice, it is important to understand occupation. Occupation as means is the use of occupation as the treatment modality to adapt an occupation or to alter affected performance skills and patterns and body functions and structures (Gray, 1998). Many definitions in the literature, sometimes, that it is a complex concept (Law et al., 1998). Hocking (2005) describes occupation is the ordinary and extraordinary things people do in their everyday life that occupy their independency, wellbeing and adaptation to the environment. For a treatment to be classified as occupation as means rather than simply activity, it must have relevance to the client's life (Roy et al., 2017). This requires that the therapist understand what is meaningful to the individual and, thus, what constitutes occupation for that person (Gray, 1998).

2.5 Occupational Therapy Practice framework:




Figure: Occupational Therapy Practice Framework (AOTA, 2014).

2.6 OBP in Worldwide

Currently WFOT statistics show that there has 350,000 practitioners are practicing OT in the world wide (WFOT, 2016). Malaysian Occupational Therapy Association (2010) found that, OBP providing is difficult for him or her particularly who are working in a medical oriented facilities (Che daud, 2015). It is also difficult to incorporate health, wellness and functions within the medical paradigm of care (Baum & Baptise, 2002). Three main elements of what we consider during practice that's are occupation-based, client-centered, and evidence-based practices are emphasized throughout UNH's OT core curriculum. These three elements are also consistent with the American Occupational Therapy Association's (AOTA, 2006) and *Occupational Therapy Practice Framework* (OTPF, 2008).

2.7 OBP in Bangladesh

In developing countries like Bangladesh seems to be more challenging of implementing OBP than in developed countries. This is why only for the understanding level of different people. In Bangladesh, Occupational Therapist are trying to develop this understanding level among Bangladeshi general people. There has 244 Occupational Therapists in Bangladesh who were completed their graduation and now they are providing OT in his or her own settings by focusing on occupation (Shonirvor, 2017). And all of them are tried to develop a person's occupational independency by engaging occupation.

2.8 Positive factors of implementing OBP: OBP works as a facilitators for an OT practitioners (Khayzadeh et al., 2015). Some authors recommended for implementing OBP (Price & Miner, 2007; Polatajko et al., 2013; Mulligan et al., 2014). Professional skills and relationship with clients and practitioners also have been recommended for OBP. Popularity of OT profession also act as a facilitators of providing OBP (Che daud et al., 2015). Gillen & Greber (2014), noted that, while the focus of OT professional is on how to preserve or create dominance for an occupational perspective, as it is important for the profession to consider how occupation-based practice can be enacted within workplaces where there are power imbalances. The current study and others illustrate this power imbalance can be improve by the validation of occupation-based practice and strategies supporting professional elasticity (Ashby et al., 2013; Lloyd et al., 2007; (Scanlan et al., 2010).

2.9 Challenge or Barriers to implementing OBP

Price & Miner (2007) said that there is currently no clear definition of OBP. Colainni and Provident (2010) said that biomedical model in health rehabilitation system is one of the challenges of OBP. Occupational therapists face difficulty to provide OBP and tendency to neglect the use OBP because where Occupational therapists focus their intervention by occupation such as play, cooking, craft, self- care and others pleasurable activities, there the biomedical setting perceive that these task are not purposeful for clients (Burke, 2001). Occupational therapists in mental health practice face challenges to their professional identity as they work alongside colleagues with differing perspectives of well-ness (Ashby et al., 2013). The influence of different perspectives often leads to difficulties in enacting OBP (Loyd et al., 2007; Scanlan et al., 2010). These difficulties create the need for further debate about ways to support practitioners in mental health practice to ensure the enactment of the professional paradigm and occupation-based practices (Gillen and Greber, 2014). Limited space and available equipment facilities is another barriers of implementing OBP (Chisholm et. al, 2004). Some study indicates that, need enough time for implementing OBP but it is complicated to get enough time, so it is the barrier of implementing OBP (Stack & Barker, 2011). Another study, Occupational Therapists in the United States reported that OBP is not included by insurance companies (Colaianni & Provident 2010). Client understanding is a big challenge for providing OBP. From Occupational therapists' perspectives they have much less understanding of the environmental concept of objects, spaces and Occupational forms, which contribute to the challenge of using OBP (Kielhofner & Fisher, 2008).

CHAPTER 3: METHODOLOGY

3.1 Research Question

What are the present situation of implementing OBP among Occupational who are working in different clinical settings of Bangladesh?

3.2 Study aim and Specific objectives

To explore the present situation of implementing OBP among Occupational therapists who are working in different clinical settings of Bangladesh.

Objective:

- To explore the understanding of Occupational Therapists about OBP.
- To identify the positive factors or facilitators of implementing OBP among Bangladeshi Occupational Therapists.
- To explore the challenge / Barriers of implementing OBP in different settings.
- To explore the variation of OBP in different clinical settings.

3.3 Study design

Researcher used phenomenological qualitative research design to know the present situation of implementing OBP among OT who are practices in Bangladesh. As qualitative research can address the situation of particular event and how the approaches or techniques

are influenced through the user of the people so the researcher used qualitative research design (Patton & Cochran, 2002). This was examined in Bailey (1997), "Qualitative research tries to verify or generate descriptive theory that is grounded in the data gleaned from the investigation". Phenomenological perspective can be implemented to any study where the investigator concerns with peoples" view on their own life or situation. This phenomenological qualitative research design can be used to knowing working experienced of the participants (Hammel & Carpentar, 2000). According to Hick's (2000), when the researcher willing to find out the research questions in search of experience, feelings and performance of the participants a qualitative research design is appropriate for the study. Masson, (2001) has been argued with the purpose of writing the oral histories of participants there is need to qualitative research design by a qualitative approach and it is suitable for gaining insights, judgment, experience and perception of the participants. This research aim is to explore the present situation of implementing OBP among OT in Bangladesh who are working in different settings. So the researcher used phenomenological approach of qualitative research design.

3.4. Study population

The study population was the Occupational therapists with 2 years clinical experience of different settings in Bangladesh.

3.5 Study setting

It has been proposed (Hammel & Carpenter, 2000), in the qualitative research the researcher observes and interacts with the participants in their own context. In this

qualitative research, participants need an environment where they share their perceptions and experiences about OBP implementation in Bangladesh. This qualitative study was conducted in Centre for the Rehabilitation of the Paralysed (CRP) (Neuro rehabilitation unit, SCI rehabilitation unit, Pediatric unit Project area), Proyash Autism School Savar area, National Institute of Mental Hospital (NIMH), National Institute of Neurosciences & Hospital, Autism Welfare Foundation, CDD (Centre for the disability and Development). For data collection the researcher used that places which were recommended by the participants and where the participants feel comfortable to express their experiences.

3.6 Study period:

The period of this study was from August, 2017 to May 2018. However, the researcher got time to collect data from 1st January to 30th January, 2018.

3.7 Sample size

The aim of this study was to explore the present situation of implementing OBP among OT in Bangladesh who are working in different settings. The researcher used purposive sampling for this qualitative study who met the inclusion criteria. Purposive sampling was used because the researcher used judgment for selecting participants (French et al., 2001). Sample was collected from a wide range of population. Purposive sampling method is used in qualitative studies to study live experienced of a specific population by using specific selection criteria. Sample sizes are very small and there is not necessarily representative of the vast population in qualitative research study (Patton & Cochran, 2002). 14 participants were selected. Purposive sampling according to criteria to conduct the study and the sample

size was depended on data saturation. In qualitative research, data saturation means where the researcher select sample size and the data is obtained in repeatedly then qualitative researcher do not take any participants for data collection (Saumure & Given, 2013)

3.8. Inclusion criteria

- **O** Qualified Occupational Therapists working in the different settings of Bangladesh
- At least 2 years clinical experiences in the specific setting without Internship

Exclusion criteria:

- Students Occupational Therapists
- Intern Occupational Therapists
- Occupational Therapy assistants
- Those who are unwilling to participate

3.9. Sampling techniques

Purposive sampling method is used in qualitative studies to study about experienced of a specific population by using specific selection criteria. To study occupation-based practice, a purposive sampling method was used to identify experience of Occupational Therapists in their practice. (Berg, 1998).

3.10. Data collection tools/ materials

Audio recorder was used to record interview of the participants for judgment and it is the most appropriate method for recording interview. In qualitative research, the researcher used tape recorder to replace the hand writing particularly by which the researcher observes and records participant's practices (Bloor & Wood, 2006).

- Paper and pen were used to write down the observation note or any other information that was obvious needed to research study.
- Questions
- Consent form
- Information sheet
- Clip board
- Mobile phone for recorder

3.11. Data collection methods

All data was collected through face-to-face in-depth interview by using a semi-structured research question. In this study, the researcher has explored the experience of OBP implementation among Occupational Therapists In-depth interview has conducted in this study to collect data thoroughly from the participants (Patton & Cochran, 2002). With in-depth interview participants would be given freedom to explain their feelings and experience or perception in their own words. They would also receive opportunity to talk and describe their feelings and real facts or incidents (Bloom & Crabtree, 2006). This interview procedure would provide the opportunities to observe the facial expression of participants and would help the researcher to determine their understanding of the questions. The question was written in Bengali so it would be easily under stable for all participants. The researcher started from the

initial stage of the data collection procedure. At first, the researcher would verbally present the details of the study such as, aim, objectives and purpose of the study then explain the rights, roles, benefits and importance of the written consent form in a descriptive way and arranged the interview in a suitable place. Before starting the interview, the researcher asked the participants about the place of interview. When the participant agreed with the researcher and they felt comfort with the place, then the researcher started to interview. During the interview, a recorder was used to record the conversations and discussion between the participants and interviewer. Recorder, paper and pens also used during interview for writing the additional information from the participants.

3.12. Data management and analysis

In the qualitative research, it was suggested to analyses the collected data to organize. The information according to different codes, categories and themes (Bowling, 1997). Data analysis allowed the researcher to establish the study aims according to collected information from participants. The appropriate analysis of data would give an accurate result for the study. The researcher selected Qualitative Content Analysis (QCA) method for analyzing data. QCA follows the three steps (coding, categorizing and generating theme) to present the result of the study. The analysis of data began from transcribe of interviews. At first, the researcher would organize the interviews and transcribe the entire interview in Bengali from the audio tape recorder. Each of the transcripts were translated from Bengali to English by 3 different individuals, one was the researcher and another two were such person who did not know about the aim or objectives of the research question. Then the researcher would verify all of the transcriptions and read it several times to find out what the participants wanted to say. Following that, the researcher confirmed the data

and found the actual themes of the study. When the researcher would notice some similarities between the data, the researcher would organize the data according to some major categories and under those categories some codes would be established. The codes came out from the research question and each code was separated from each other.

3.13. Quality control & quality assurance

All data collection should be accurately done with the concern of respective supervisor as well follow all instructions. Ensure that, the methods which have been using there that's are validated fit for the purpose before use the text.

Prior to starting the data collection, the researcher completed a field test with 3 participants for the survey question, and face- to -face interviews conducted to ensure whether the question were understand by the participants. It is important to carry out a field test before collecting the final data because it help the researcher to refine the data collection plan and to justify the reliability and validity of the questionnaire fit with Bangladeshi context. This field test was performed to identify any difficulties that exist in the questionnaires. Then the researcher got chance to rearrange the questionnaires to make it more understandable, clear and enough for the participants and the study.

3.14. Ethical considerations

The researcher has maintained some ethical considerations like:

• Researcher had to take the permission from Bangladesh Health Professions Institute (BHPI), the academic institute of CRP.

- Researcher had to take the permission of OT department of Savar CRP, Proyash Savar area, National Institute of Mental Hospital (NIMH), National Institute of Neurosciences & Hospital, Autism Welfare Foundation, and CDD for data collection.
- The participants were informed before to invite her participation in the study.
- A written consent form which has written in Bangla (Appendix 3) used to take the permission of each participants of the study.
- The researcher has ensured that all participants were informed about their rights and reserves and about the aim and objectives of the study.
- All kinds of confidentiality would be highly maintained. The researcher would have to ensure not to leak out any type of confidentialities.
- The researcher would be eligible to do the study after knowing the academic and clinical rules of doing the study about what should be done and what should not be.
- All rights of the participants would be reserved and researcher was accountable to the participant to answer any type of study related question.

3.15. Field test: A field test was conducted with three participants. Before the time of final data collection, it was necessary to conduct a field test to help the researcher for purifying the data collection plan. During the interview, researcher informed the participants about the aim and objectives of the study. From the field test the researcher was aware about which part of the question participant found difficulty or they did not understand properly. Researcher observed the situation of the interview, participant's response thus help to modify the question where necessary. Finally, the question was developed in Bangla (Appendix 3) and English (Appendix 4).

3.16. Rigour

This study was conducted through rigorous manner or trustworthiness. The entire study was conducted in a systematic way by following research steps under the supervision of an experienced supervisor. At the time of data collection and data analysis, the researcher never tries to influence the result by her own value or perspectives. The researcher accepted answers of the participants whether they would deliver. The researcher prepared transcript from the field notes and audio recording. Soon after the interview it was written. Translation has completed by three people to avoid biasness then researcher completed the same translation and record to reduce mistake and compare it with the Bangla transcript. The researcher has checked translated data for several times so that all information would be include. All of notes kept safe to maintain confidentiality. In the result chapter, the researcher would not influence the result by personal view.

Aim of the study	Objectives of the study	Question	Categories	Theme
To explore the present situation of implementing OBP among Occupational therapists in Bangladesh who are working in different settings.	1. To know the perception about OBP among OT who are working in Bangladesh.	Question-3, 4, 5	1. Understanding the perception of OBP among Occupational therapists in Bangladesh.2.To know about importance of OBP among Occupational Therapists	among Occupational Therapists in Bangladesh
	2. To explore the challenges or barriers of implementing OBP during practice of OT.	Question: 8, 11, 12	2. Challenges and barriers of implementing OBP	2. Implementing OBP is a challenging most of the time
	3. To explore the facilitators of implementing OBP during practice of OT.	Question: 9, 10, 13, 14	3. The facilitators of implementing OBP	3. Expand knowledge about OT of the client is the best facilitators of implementing OBP
	4. To explore the variation of OBP in different clinical settings.	Question: 6	4. The variation of OBP among OT in different clinical settings.	4. Limitation of OBP among OT in different clinical settings.

3.17. Summary of data analysis and result

CHAPTER 4: RESULT & DISCUSSION

In result and discussion chapter, it has presented the result of the research study and presented the findings by using different literature. In qualitative studies, it is common practice to present result and discussion together in one section (Bailey, 1997). Result part of this section has described as completely so that it is possible to judge the findings of the study. By using tables and figures it has demonstrated the findings of the study. The discussion section is as a-"comment section placing the results in context with the published literature and addressing study limitations" (Graf, 2008). The aim of this study was to explore the present situation of implementing OBP among OT in Bangladesh who are working in different settings. There were three objectives of this study. First objective was to know the perception about OBP among OT who are working in Bangladesh. Under this objective question no. 3, 4, 5 were used and two categories were emerged. Category 1 was emerged by using question no. 3, 4 Category 2 was emerged by using question no. 5.

Category 1: Understanding the perception of OBP among Occupational therapists in Bangladesh

Under this category one theme was emerged as follows-

Theme 1: Good understanding of OBP among Occupational Therapists in Bangladesh

Category 2: To know about importance of OBP among Occupational Therapists

Under this category one theme was emerged as follows-

Theme 2: OBP is most important for evidence based practice

Second objective was to explore the challenge/ barriers of implementing OBP during practice of OT.

Under this objective question no. 6, 8, 11, 12 was used and following one category were emerged,

Category 3: Challenges/ barriers of implementing OBP

Under this category one theme was emerged as follows-

Theme 3: Implementing OBP is a challenging most of the time

Third objective was to explore the facilitators of implementing OBP during practice of OT. Under this objective question no. 9, 10, 13, 14 was used and following one category were emerged.

Category 4: The facilitators of implementing OBP

Under this category one theme was emerged as follows-

Theme 4: Expand knowledge about OT of the client is the best influencing of implementing OBP

Fourth objective was to explore the variation of OBP in different clinical settings. Under this objective question no 6 was used and following one category were emerged.

Category 5: The variation of OBP among OT in different clinical settings

Under this category one theme was emerged as follows-

Theme 5: Lots of variation of OBP among OT in different clinical settings.

According to categories and coding it has given the description of theme at below:

Theme 1: Good understanding of OBP among Occupational Therapists in Bangladesh

As long as the goal is Occupational performance (Early and Shanon, 2006) OBP incorporates all kinds of therapeutic treatment such as preparatory and purposeful methods. Preparatory methods are included (such as splinting, assistive devices, physical agent modalities) and purposeful activity are used to prepare the clients and strengthen their skills for occupational engagement (American Occupational Therapy Association, 2008).

<u>4.1 Table 1</u>

Theme 1: Good understanding of OBP among Occupational Therapists in Bangladesh

Coding	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14
Set up a good treatment plan according to Occupation	V								V		\checkmark	\checkmark	1	
EducateaboutEnvironmentModification for compensation		V												
Improve performance ADL practice			V	V	V		\checkmark					\checkmark		\checkmark
Client Centered practice based on client interest			V	V										
To engage purposeful activities			V	V	V	1	1							
Provide Scientific explanation of OT				V	\checkmark									V
Provide the meaningful therapeutic														

Most of the participant's understand that OBP is engaging occupation by ADL practice. Around half of the participant's said that, purposeful activities which provide scientific explanation of OT. Few participants give different statements of OBP that's are client centered practice, set up a good treatment plan for better outcome, using equipment and environmental modification.

One of the participant's mention that "I understand that to engage purposeful activity during session"

Occupation as a means' refers to occupations and purposeful tasks as a remediation agent to improve a client's physical function. (Gray, 1998; Trombly'1995)

Another participants said that "Occupation is the term which present Occupational Therapy as a unique profession".

A study shown that, critical role of the OBP in shaping our professional identity; it is important to facilitate OBP implementation (Khayatzadeh et al.,2015).

<u>4.2 Table 2</u>

Theme 2: OBP is most important for evidence based practice

Coding	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13
For the purposes of Better Rehabilitation and	√		√							√		V	
role performance													
Differentiate OT from other health professions												V	
To leading an independent life of human										V			
OBP is a Core practice of OT profession				V	V		V						
Meaningful for client to lead a productive life		\checkmark			\checkmark	\checkmark		\checkmark			\checkmark		

From this table seen that, most of the participant think about importance of OBP for better rehabilitation some participants said that, "OBP is important to engage client in a productive life and few participants said that OBP is a core skill of OT".

One of the participant said that, "Occupation creates differentiation between OT and another health professionals".

OBP benefits the clients and creates OT unique as the intervention uses occupational and purposeful tasks, as the core business of OT (Che daud et al., 2015).

Another participant said that, "OBP practice help a client to lead a purposeful and meaningful live".

A study mentioned that, Occupational Therapists believe that OBP is more effective, individualized and valuable when generalized to client's everyday life (Schemm, 2017).

<u>4.3 Table 3</u>

Theme 3: Implementing OBP is a challenging most of the time

Coding	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14
Poor arrangement of settings and limited equipment	\checkmark	1	\checkmark		\checkmark			√	1		V	V		
Poor referral system in health sector				√				V			V			
Poor satisfaction of client and career				√					1	√	V			
Poor knowledge about OT			\checkmark		1	√			1		V	V		
Limited Time				√										
Limited manpower of support this profession		1	\checkmark						1					
Need to in depth knowledge among OT about OBP		1						V	1			V		
Poor management system						√								
Cultural barrier								V	1			V		

From this table seen that

Most of the participants said that, poor arrangement of settings and lack of awareness about OBP among clients are barriers of implementing OBP, some participants said that weak referral system and manpower are another barriers of implementing OBP and few participants said that, cultural believe, time, poor knowledge about OBP are also barriers of implementing OBP.

One participant mention that, "narrow space and lack of treatment corner such as dressing corner, play corner are not available that's why we can't implement OBP".

A study experiment that, limited space and the availability of equipment and supplies were the main barriers highlighted by Occupational therapists in their use of OBP (Chistohlm, Dolhi, & Scheirber, 2004).

The majority of participants agreed that appropriate resources and equipment are lacking, and the OT department is not setup for OBP (Hammel &Iwama, 2012).

One participant said that, "we can't maintain Quality of treatment causes of time"

Time was also a factor that influences the occupational therapists to use OBP. Literature indicates that OBP was described as too complicated and consumes much time to be implemented (Goldstein- Lohman, Kartz, & Pierce, 2003; Stack & Barker, 2011).

Time and workload were reported as challenges to implementing the intervention (Colainni & Provident, 2010; Stack & Barker, 2011).

Another participant said that "lack of training and update treatment knowledge are causes of challenging situation to implement OBP" Another challenge to OBP in the article was the client and OT factors. Occupational Therapists reported that providing OBP is challenging because the client does not understand the unique role of OT nor the outcome of the intervention (Chisholm et al, 2004).

Barriers to OBP also came from the Occupational Therapists themselves (OT factors). Participants described that thy need to training and well prepared for OBP. Which is an important aspect of providing OBP. They asserted that there was limited evidence on the efficacy of OBP to support their practice (Colainni & Provident, 2010).

One participant mention that, "understanding OT among different levels of clients is very difficult like as who are come from remote area so it is a challenge to implement OBP".

A study supports that, the clients also have no idea about the unique role of OT and are not aware of the effect of OBI (Chisholm et al., 2004). The clients understanding of the whole recovery process was also cited as a challenge to OBP.

Providing OBP required the occupational Therapist to know the clients occupation, motivation and situation (Baum, 2000), which only can be achieved through the use of a client centered approach and working partnership with the clients (Baum& Baptise, 2002; Chisholm et al., 2004).

A participants said that, "referral system is not easy for our OT practice in Bangladesh".

A factor was the health care system and government policy in Malaysia (Chisholm et al., 2004). The participants of this study described that the medically oriented health care system and the bureaucratic culture within Malaysia hospitals were also challenges to OBP.

Another participant also said that, "people are not aware about OT treatment and which condition is treated by OT".

Furthermore, lack of awareness about the role of Occupational Therapists by other professionals was perceived as a challenge to OBP as the limits the referrals for the intervention. Most of the participants stated that when they try to use OBP in practice, other multidisciplinary professionals do not give full cooperation because they do not understand the purpose of OBP (Chisholm et al., 2004; Colainni & Provident, 2010).

<u>4.4 Table 4</u>

Theme 4: Expand knowledge about OT of the client is the best facilitators of implementing OBP

Coding	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14
Good understanding about OT	\checkmark				\checkmark			√		√	√		√	
Good therapeutic relationship	\checkmark		√				\checkmark				√			
Good arrangement of setting and available equipment	√		√				V		√	√				V
Good organizational support			√	\checkmark	\checkmark	√		\checkmark				√	√	\checkmark
Referral System in health sector			√					√						
Need to include OBP in OT academic Curriculum														
Family identification and relationship												V		

From this table seen that, most of the participants said that settings and positive feedback from others is the important issue for implementing OBP. Some participants said that good therapeutic relationship, raising awareness, management system. Few participants said that, higher education, developing job sector and referral system can also influences OBP.

Gillen & Greber, (2014) reported that although occupational therapists support and value evidence-based practices, they may not be confident in their abilities to find and appraise the research literature for clinical decision making. In addition, some therapists may find that they do not have the time to keep up to date and read the necessary literature, nor do they always have access to the relevant research articles that would enable them to engage in evidence-based practices.

One of the participants mention that, "If the relationship between clients and therapist are good it will influencers to implement OBP."

A study finds that Enhancing professional skills and relationships has been recommended to facilitate OBP (Fisher, 2014).

A study shown that, because of critical role of the OBP in shaping our professional identity; it is important to facilitate its implementation (Ashby, 2013).

Another participants mention that, "actually we need to understand clients and other people about OT, which facilitate OBP practice".

A study showed that client centered and family centered practice facilitates OBP (Gillen & Greber, 2014).

The aim of OT service should be explained to the client with a comprehensible language with the consideration of the client's social, cultural and educational level. Attention should be paid more to those clients from lower socio economic levels (Jackson, 1998).

This study get a clear experiment that, Occupational Therapists who are more experienced they have good understanding of OBP than who are less experience.

Another study suggested that experienced therapists have a tendency to be more occupation-based than more inexperienced therapists, with 86% of experienced therapists stating they used occupation-based therapeutic activities *often* or *always* compared with 74% of more inexperienced therapists.(Mulligan et al., 2014).

4.5 Table 5

Theme 5: Limitation of OBP among OT in different clinical settings.

Coding	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14
In pediatric settings, OT can implement OBP, but faces some difficulty both outdoor and indoor service					V		V							
In school settings, for hold a good motivation of parents and impact of Organizational support sometimes OT are failure to implement OBP						V				V	V			
In Neurological settings, OT faces challenge to implement OBP for enough spaces, time and cultural identification			V	V										
In SCI settings, OT can implement OBP in a proper way								٧				٧		
In the government settings, OT can't OBP for maintaining time and quantity of clients									V					V
In the project settings, OBP is implemented in a little bit	V												V	
In mental health settings, OT try to implement OBP but limited opportunity		V												

From this table seen that, the majority of the participant's agreed that setting is responsible to maintain client motivation at the outside of CRP, organizational support is not positive and difficulty to working client's environment. Some participant's said that outdoor service is challenge to provide OBP than Indoor service. Few participant's said about there has not specific place in the project settings. One of the participant's said that setting is not any important issue if every OTs goal is OBP.

One participants said that, we are Bangladeshi people, our relationship bonding is too much strong that's why when someone is sick other members of family always support the sick person. So performing daily living activity by the sick person it is not acceptable in our culture.

A study on cultural barriers of Occupational Therapy service in Bangladesh, it was found that, different cultural phenomena, cultural diversify challenge and social superstitions affected on the OT intervention (Sultana, 2014).

So, the findings displayed that, Organizational support is most important for providing OBP. And outdoor service is so much challenging than indoor to provide OBP in Bangladeshi perspective.

One of participants said that, government settings is not appropriate place for OBP there has not sufficient equipment and poor arrangement of settings. In this settings, I can't maintain quality of treatment for maintaining quantity.

Another participants said that, *it is very sad that*, *I can't implement my knowledge for lacking's of enough space for treating child and adult client*.

One participants of pediatric unit said that, *I have good implementation of OBP with child but sometimes it is difficult in pediatric outdoor service*.

Rogers identified a findings by a study of Pediatric OT that, OBP was more satisfying and rewarding for therapists, and they found it more effective and individualized. Patients and families were perceived by therapists to find OBP more motivating, understandable, valuable, and easily generalized to everyday life.

Chapter 5: Conclusion

5.2 Limitation

Limitations are potential weaknesses in a study and are out of control (Simon, 2011). There is a single limitation which was the researcher absolutely taken into account during the time of study. Researcher tried to best systematic way to conduct the research. By considering these limitations the researcher conducted this study. The limitations are given below:

- In this research study, male participant is sufficient rather than female participant so, it is a limitation.
- This study is a qualitative type of study. Purposive sampling was used to collect data from participants. In-depth interview was required to gain actual information from participants. Due to sufficient knowledge of interviewing skills it was not possible to collect data from participants through in-depth interview as researcher has undertaken this study for the first time.
- In Bangladeshi context, it is a new study. So there was a lack of available information related to this study such as, research study.

As a result there are many strength point of this study such as researcher tried to select participants (Occupational Therapist) from all settings of OT profession and who have excellent clinical experience. This study is absolutely directed as a new conception in the context of Bangladesh. That was why there are no such type of work has been found to compare with the study in Bangladesh.

5.3. Conclusion

Occupation Based Practice (OBP) can be explained through the concepts of occupation which is the core skills of OT (Gray, 1998). The participants who were involved with the study they were expressed their views and opinions about the importance of OBP in their practice and they are well known about OBP.

The findings of the study are indicated that the participant faced different types of barriers during the practice session in Bangladesh. It is to be added that the participants are also mention that they are facing different form of challenges in different settings working as a clinical OT especially outside of the CRP. The participants were also indicated that Bangladeshi health system which are also created strong barrier for them to provide successful treatment to the patient. Because of the government policies are need to be developed for OT profession in Bangladeshi.

The people of Bangladesh are not well known about OT profession. So, general people can't accept Occupation focused as a treatment. But if health system are supportive, then people are well-known about this profession and easily accept the treatment. In addition to the researcher found almost all the participant expressed their strong views that OBP is the fundamental part of OT. Some participants are explained some issue which are influences

to OBP. Positive feedback, client motivation uses for influences to OBP. They also said, some issue which are needed to be better practice that's are health system, training, supportive management/authority, up to date training, government job. Then the OTs can easily reach at the pick point of their professional Excellency and of Bangladesh.

5.4 Recommendation

5.4.1 Recommendations for occupational therapists in Bangladesh

The occupational therapists have a broad and clear knowledge about the core practice of OT. They are enough skilled on OBP. The occupational therapists should be able to handle all barriers and challenges of OBP practice with carefully and smoothly. The occupational therapists should be provided the quality of service to the clients according to the country perspective. On the other hand the occupational therapists should follow different frame work and approach for client to engage an Occupation which is meaningful to lead a purposeful.

Chapter: 6 Reference

- American Occupational Therapy Association, (2014). Occupational Therapy practice framework: Domain and process, third edition. *American Journal of Occupational Therapy*.
- Ashby, S.,Gray, M.,Ryan, S.,& James,C. Maintaining occupation-based practice In Australian mental health practice: *Canadian Journal of Occupational Therapy*.
- American Occupational Therapy Association, (2014). Occupational Therapy practice framework: Domain and process, third edition. *American Journal of Occupational Therapy*.
- Ashby, S.E., (2013). An exploration of the different forms of theoretical knowledge valued and used by occupational therapists in mental health practice.
 - Ashby, S.E., Ryan, S., Gray, M., et al. (2013). Factors that influence the professional resilience of occupational therapists in mental health practice. *Australian Occupational Therapy Journal*.
 - American Occupational Therapy Association, (2014). Occupational Therapy practice framework: Domain and process, third edition. *American Journal of Occupational Therapy*.
 - Bailey, D. M., (1997). Research for the health professional: a practical guide.Philadelphia: F.A. Davis Company.
 - Bloom, B. D., and Crabtree, B. F., (2006). *The qualitative research interview*. Available at: http://www.hu.liu.se/cf/larc/utbildning-information/scientificmethodology/course-literature-and-links/1.253566/qual20interview.pdf [Accessed 4 October 2014].

Bloor, M. and Wood, F. (2006). *Audio recording*. Available at: http://srmo.sagepub.com/view/keywords-in-qualitative-methods/n5.xml

Bowling, A. (1997). *Research Methods in Health: Investigating and Health Services*. Philadelphia: Open University Press.

- Che Daud, A., Yau. M., Barnett, F., (2015). A consensus definition of occupation based intervention from a Malaysian Perspective: A Delphi study. *British Journal of Occupational Therapy*.
- Chisholm, D., Dolhi, C., and Schreiber, J., (2004) Occupational Therapy Intervention Resource Manual: A guide for Occupation based practice. Clifton Park, NY: Thomson Delmar Learning.
 - Fisher, A.G., (2014). Occupation-centred, occupation-based, occupation-focused: Same, same or different? : Scandinavian Journal of Occupational Therapy.

French, S., Reynolds, F., and Swain, J., (2001). Practical research a guide for therapists.

- Gillen, A., & Greber, C., (2014). Occupation-focused practice: Challenges and choices. *British Journal of Occupational Therapy*.
- Gray, J. M., (1998). Putting Occupation into Practice: Occupation as Ends, Occupation Means. *American Journal of Occupational Therapy*
 - Hammel, K., and Carpenter, C., (2000). Introduction to qualitative research in occupational therapy and physical therapy.
- Hammell, K. W., & Iwama, M. K., (2012). Well-being and occupational rights: An imperative for critical occupational therapy. *Scandinavian Journal of Occupational Therapy*.
- Hicks, C. M., (2000). *Research methods for clinical therapists*. 3rd edn Edinburgh: Churchill Livingstone.

- Hocking, C., (2001). Implementing occupation-based assessment. *The American Journal of Occupational Therapy*.
- Jackson, J., (1998). The value of occupation as the core of treatment: Sandy's experience, *The American Journal of Occupational Therapy*, *52*, 466-473.

Keilhofner, G.,(2009). Conceptual Foundations of Occupational Therapy practice (4th ed). Philadelphia : F.A Davis;

Khayatzadeh, M. M., Mehraban, H. A., Kamali, M., Parvizy, S., (2015). Facilitators of implementing Occupation based practice among Iranian occupational Therapists: A qualitative study. *Medical Journal of the Islamic Republic of Iran*.

- Law, M., Baum, C., & Baptiste, S., (2002). Occupation-based practice: Fostering performance and participation. Thorofare, NJ: SLACK Incorporated.
- Law, M., Steinwender, S., & Leclair, L., (1998). Occupation, health and wellbeing. *Canadian Journal of Occupational Therapy*, 65, 81-91.

Masson, J., (2001). Qualitative Researching. London: Sage publication.

- Meyer, A.,(1977). The philosophy of occupational Therapy: Reprinted from the Archives of Occupational Therapy, American Journal of Occupational Therapy.
 - Mulligan, S., Prudhomm, B. W.,and Arthanath, S. (2014). An Examination of
 Occupation- Based, Client-Centered, Evidence-Based Occupational
 Therapy Practices in New Hampshire. *American Occupational Therapy Foundation*.

Patton, M. Q., and Cochran, M., (2002). A Guide to using: Qualitative Research Methodology.

- Polatajko, H. J., Davis, J. A., Stewart, D., Cantin, N., Amoroso, B., Purdie, L., & Zimmerman, D., (2013). Specifying the domain of concern: Occupation as core.
- Polatajko, H. J., Molke, D., Baptiste, S., Doble, S., Caron Santha, J.,Kirsh, B., .Stadnyk, R. (2013). Occupational science: Imperatives for occupational therapy.

Price, P., & Miner, S., (2007). Occupation emerges in the process pf therapy: *American journal of Occupational Therapy*.

Rosa, S.A. (2009). Client-centered collaboration. In E.B. Crepeau, E.S. Cohn, &B.A.B. Schell (Eds.), *Willard and Spackman's occupational therapy*.

Roy, L., Valle, C.,Krish, B.H.,Anne. M.A., Marval, R., & Low, A., (2017). Occupation-based practices and homelessness: A scoping review. *Canadian Journal of Occupational Therapy*.

- Saumure, K., and Given, L. M., (2013). Data Saturation. Available at: http://srmo.sagepub.com/view/sage-encyc-qualitative-researchmethods/n99.xml [Accessed 2 November 2014].
- Schindler, V.P., (2010). A client-centred, occupation-based occupational therapy programme for adults with psychiatric diagnoses. *Occupational Therapy International*, *17*, 105-112. doi:10.1002/oti.291
- Schemm, R., (2017). Occupation-Based and Family-Centered Care: A Challenge for Current Practice. *American Journal of Occupational Therapy*

Simon, M. K., and Goes, J., (2013) .*Scope, Limitations, and Delimitations*. Available at: <u>http://dissertationrecipes.com/wp</u>

Shonirvor, (2016, October) Occupational therapy treatment related publications. Bangladesh Occupational Therapy Association.

- Sultana, R., (2014) Cultural barriers to provide clinical Occupational Therapy service in Bangladesh: Therapists perception. *Global Journal of Quantitative Science*.
 - Thornton, G., & Rennie, H., (1988). Activities of Daily Living: An Area of Occupational Therapy Expertise. *Australian Occupational Therapy Journal*.

Trombly, C. A., (1993). Anticipating the future: Assessment of occupational function. *American Journal of Occupational Therapy*

Ward, K., Mitchell, J.,Price , P., (2017). Occupation-Based Practice and Its Relationship to Social and Occupational Participation in Adults with Spinal Cord Injury.

Wilcock, A. (2006). An Occupational Perspective of Health: Thorofare, NJ: Slack Incorporated.

World Federation of Occupational Therapy. (2006). World Federation of Occupational Therapy position statement on human rights.

Appendices

Appendix 1

IRB Approval Letter for Conducting Study



Ref.

CRP-BHPI/IRB/01/18/184

Date: 4 01 2018

To Nipa Monalisa B.Sc. in Occupational Therapy Session: 2013-2014, Student ID: 122130111 BHPI, CRP, Savar, Dhaka-1343, Bangladesh

Subject: "Implementing Occupation Based Practice among Bangladeshi Occupational Therapists in Different clinical settings"

Dear Nipa Monalisa

Congratulation.

The Institutional Review Board (IRB) of BHPI has reviewed and discussed your application on 02/10/2017 to conduct the above mentioned dissertation with yourself, as the Principal investigator. The Following documents have been reviewed and approved:

Sr. No.	Name of the Documents	
1	Dissertation Proposal	
2	Self-developed Questionnaire	
3	Information sheet & consent form.	

Since the study involves identifying present situation of Occupation based practice and selfdeveloped questionnaire that takes 10 to 15 minutes and have no likelihood of any harm to the participants. The members of the Ethics committee have approved the study to be conducted in the presented form at the meeting held at 9:00 AM on October 08, 2017 at BHPI.

The institutional Ethics committee expects to be informed about the progress of the study, any changes occurring in the course of the study, any revision in the protocol and patient information or informed consent and ask to be provided a copy of the final report. This Ethics committee is working accordance to Nuremberg Code 1947, World Medical Association Declaration of Helsinki, 1964 - 2013 and other applicable regulation.

Best regards,

fellathassach

Muhammad Millat Hossain Assistant Professor, Dept. of Rehabilitation Science Member Secretary, Institutional Review Board (IRB) BHPI, CRP, Savar, Dhaka-1343, Bangladesh

সিন্ধারপি-চাপাইন, সাভার, ঢাকা-১৩৪৩, বাংলাদেশ, ফোন ঃ ৭৭৪৫৪৬৪-৫, ৭৭৪১৪০৪ ফ্যাক্স ঃ ৭৭৪৫০৬৯ CRP-Chapain, Savar, Dhaka-1343, Tel : 7745464-5, 7741404, Fax : 7745069, E-mail : contact@crp-bangladesh.org, www.crp-bangladesh.org

Appendix 2

Permission Letter for Data collection

Date: 4th Januarry, 2018 To Head of Occupational Therapy Department CRP-Savar, Dhaka-1343, Bangladesh

Subject: Regarding permission for data collection for B.Sc. thesis at Occupational Therapy Department.

Sir,

With due respect, I am Nipa Monalisa, 4th year B.sc. in Occupational Therapy student of Bangladesh Health Professions Institute(BHPI) an academic institute of CRP under faculty of medicine of University of Dhaka (DU). As a part of Occupational Therapy course curriculum, I have to conduct a thesis entitled **"Implementing Occupation Based Practice among Bangladeshi Occupational Therapists in different clinical settings"** that will be supervised by **Md. Julker Nayan** Assistant Professor, Department of Occupational Therapy, BHPI, CRP. The purpose of the study is to explore the present situation of implementing Occupation based practice among Bangladeshi Occupational therapists who are working in different clinical settings. Self- developed Questionnaire will be used by face to face interview. That will take about 20-30 minutes. Related information will be collected from the participant. The study will not be cause of any harm to the participant. Data collectors will receive informed consents from all participants as written or verbal record. Any kind of collected data will be kept confidential.

Therefore, I look forward to your cooperation by giving permission for data collection at your reputed hospital. Please don't hesitate to ask me if you have any queries regarding any issues.

Best regards, <u>Nifegan Menalities</u> Nipa Monalisa Session: 2013-2014 Student ID122130115 Student of B.Sc. in Occupational Therapy BHPI, CRP, Savar, Dhaka-1343, Bangladesh

for mitted

Appendix 3 A

তথ্য পত্র

গবেষণাকারীর নাম নীপা মোনালিসা। সে পক্ষাঘাতগ্রস্তদের পূনর্বাসন কেন্দ্র (সিআরপি) এর অধিনস্থ বাংলাদেশ হেলথ্ প্রফেশস্ ইনস্টিটিউটের অকুপেশনাল থেরাপি বিভাগ এর ৪র্থ বষের্র ছাত্রী। তার প্রাতিষ্ঠানিক কার্যের অংশ হিসেবে চলন্ত শিক্ষা বর্ষে তাকে একটি গবেষনা মুলক কাজ করতে হবে। গবেষনাটির শিরোনাম **"চিকিৎসার বিভিন্ন** ক্ষেত্রে বাংলাদেশী অকুপেশনাল থেরাপিস্টদের অকুপেশন ভিত্তিক চিকিৎসা বাস্তবায়ন"।

গবেষনায় আপনার অংশগ্রহন সম্পূর্ণ রুপে স্বেচ্ছায়। আপনি যেকোন সময় গবেষনা থেকে আপনার অংশগ্রহন প্রত্যাহার করতে পারবেন। এই গবেষণায় অংশ গ্রহনে গবেষক আপনাকে কোন ভাবে আর্থিক সাহায্য প্রদান করবেন না। এই অংশ গ্রহন কখনোই আপনার জন্য ক্ষতির কারণ হয়ে দাঁড়াবে না, কিন্তু এই গবেষনাটি বর্তমানে এবং ভবিষ্যতে অকুপেশনাল থেরাপি প্রফেশনালদের বিভিন্ন ক্ষেত্রে অকুপেশন ভিত্তিক চিকিৎসা প্রদান সম্পর্কে অবহিত করবে এবং সেই সাথে তারা এটি বাস্তবায়নের সুবিধা অসুবিধা সম্পর্কে অভিজ্ঞতা অর্জন করবে।

আপনার কাছ থেকে প্রাপ্ত তথ্য সমূহের সর্বোচ্চ গোপনীয়তা রক্ষা করা হবে। গবেষক এবং গবেষণার সমন্বয়কারী ব্যতীত এই তথ্য গুলো অন্য কোথাও প্রকাশিত হবে না এবং গবেষণার কোথাও অংশগ্রহন কারীর নাম প্রকাশ হবে না।

গবেষণা সম্পর্কিত যেকোন ধরনের প্রশ্নের জন্য নিম্নলিখিত ব্যক্তির সাথে যোগাযোগ করার জন্য অনুরোধ করা যাচ্ছে।

নামঃ নীপা মোনালিসা বি. এস. সি. ইন অকুপেশনাল থেরাপি (৪র্থ বর্ষ) অকুপেশনাল থেরাপি বিভাগ বাংলাদেশ হেলথ্ প্রফেশস্ ইনস্টিটিউট পক্ষাঘাত্গ্রস্তদের পূনর্বাসন কেন্দ্র (সি আর পি) চাপাইন, সাভার, ঢাকা-১৩৪৩

iii

Appendix 3 B সম্মতিপত্র

এই গবেষনাটি অকুপেশনাল থেরাপির কোর্সের একটি অংশ এবং গবেষণাকারীর নাম নীপা মোনালিসা।সে পক্ষাঘাতগ্রস্তদের পূনর্বাসন কেন্দ্র (সিআরপি) এর অধিনস্থ বাংলাদেশ হেলথ্ প্রফেশঙ্গ ইনস্টিটিউটের অকুপেশনাল থেরাপি বিভাগ এর ৪র্থ বষের্র ছাত্রী। এই গবেষনাটির শিরোনাম **''চিকিৎসার বিভিন্ন** ক্ষেত্রে **বাংলাদেশী অকুপেশনাল থেরাপিস্টদের** অকুপেশন ভিত্তিক চিকিৎসা বাস্তবায়ন"।

এই গবেষণাতে আমি.....একজন অংশগ্রহনকারী এবং পরিষ্কার ভাবে এই গবেষনার উদ্দেশ্য সম্পর্কে অবগত। আমার যেকোন সময়ে এই গবেষনা থেকে নিজেকে প্রত্যাহার করার অধিকার আছে। এজন্য আমি প্রশ্নের উত্তর প্রদান করার জন্য করো কাছে দায়বদ্ধ না। এই গবেষণাটির সাথে আমার কোন সম্পৃক্ততা নেই। এই গবেষনাটি বর্তমানে এবং ভবিষ্যতে অকুপেশনাল থেরাপি প্রফেশনালদের বিভিন্ন ক্ষেত্রে অকুপেশন ভিত্তিক চিকিৎসা প্রদান সম্পর্কে অবহিত করবে এবং সেই সাথে তারা এটি বাস্তবায়নের সুবিধা অসুবিধা সম্পর্কে অভিজ্ঞতা অর্জন করবে।

আমি আরও অবগত আছি যে, এই কথোপকথন থেকে নেওয়া সমস্ত তথ্যাবলি নিরাপদে এবং গোপনীয়তার সাথে শুধু মাত্র গবেষনার কাজেই ব্যবহার করা হবে। আমার নাম এবং ঠিকানা কোথাও প্রকাশ হবে না। শুধুমাত্র গবেষণাকারীর এবং তার গবেষণার সমন্বয়কারীর সাথে এই গবেষণার পদ্ধতি সম্পর্কে অথবা যে কোন প্রশ্নের উত্তর জানার জন্য কথা বলতে পারবেন।

আমি উপরোক্ত তথ্যগুলো ভালো ভাবে জেনে নিজ ইচ্ছায় এই গবেষণায় অংশগ্রহন করছি।

অংশগ্রহনকারীর স্বাক্ষর/টিপসই	তারিখ:
গবেষণাকারীর স্বাক্ষর	তারিখ:
গবেশ।বগরার বাসনর	01184:
সাক্ষ্য প্রদানকারীর স্বাক্ষর/ টিপসই	তারিখ:

Appendix 3 C (প্রশ্নপত্র সমূহ)

১। আপনি কেমন আছেন?

২ | আপনি কতদিন ধরে এই সেটিংস এ কাজ করছেন?

৩l অকুপেশনাল থেরাপী চিকিৎসা প্রদানের সময় আপনি মূলত কোন বিষয়টিকে প্রাধান্য দিয়ে থাকেন? দয়া করে বিস্তারিত বলবেন কি ?

8 | অকুপেশন ভিত্তিক চিকিৎসা সম্পর্কে আপনার কাছে কি মনে হয় ? দয়া করে আপনি কি সেটা আমাকে বলবেন ?

৫। আমরা জানি যে অকুপেশনাল থেরাপি চিকিৎসা প্রদানের ক্ষেত্রে অকুপেশন ভিত্তিক চিকিৎসা টা জরুরী কিন্তু এটা কেন জরুরী বলে আপনার কাছে মনে হয় ? দয়া করে বিস্তারিত বলবেন কি ?

৬। অকুপেশন ভিত্তিক চিকিৎসা প্রদানের ক্ষেত্রে সেটিংস কি কোন প্রভাব ফেলছে? কি ধরনের প্রভাব ফেলছে বলে আপনি মনে করেন ?

৭। আপনি তো দীর্ঘদিন ধরে রোগীদের সাথে কাজ করে আসছেন, দয়া করে এই বিষয় টি আমাকে বলবেন যে একজন রোগীর ক্ষেত্রে চিকিৎসার পরিকল্পনা কেমন হবে সেটা আপনি কখন এবং কিভাবে সিদ্ধান্ত নিয়ে থাকেন ? দয়া করে কি বলবেন?

৮। আমরা দেখি যে অনেক সময় কিছু রোগী থেরাপী নিতে কম আগ্রহী হয়ে থাকে সে ক্ষেত্রে রোগীর আগ্রহ বাড়ানোর জন্য এবং রোগীকে নিয়মিত করানোর জন্য প্রথম সেশনে অকুপেশন ভিত্তিক চিকিৎসা কিভাবে গুরুত্তপূর্ণ ভূমিকা পালন করতে পারে বলে আপনি মনে করেন? দয়া করে বলবেন কি?

৯ | অকুপেশন ভিত্তিক চিকিৎসা প্রদানের জন্য রোগীর সক্রিয় অংশগ্রহন টা কি গুরুত্তপূর্ণ ? তবে কেন? দয়া করে বলবেন কি?

১০l কোন কোন বিষয় বিদ্যমান থাকলে একটা সেশন কে সাকসেসফুল সেশন বলা যেতে পারে বলে আপনি মনে করেন ? দয়া করে কি বলবেন?

১১। অনেক সময় দেখা যায় যে বিভিন্ন কারনে আমরা অকুপেশন ভিত্তিক চিকিৎসা প্রদান করতে যেয়ে বাঁধাপ্রাপ্ত হচ্ছি ? আপনার মতে সেই বাঁধাপ্রাপ্ত হওয়ার কারন গুলো কি হতে পারে বলে আপনি মনে করেন? দয়া করে বলবেন কি?

১২। আমরা জানি যে বাংলাদেশে অকুপেশনাল থেরাপী চিকিৎসা সেবার পরিচিতি এবং প্রসার অতটা ব্যাপক নয় এটা কি এক ধরনের বাঁধা নয়?আপনার কাছে কি মনে হয়? দয়া করে বলবেন কি?

১৩। অনেক সময় আমরা দেখি যে কিছু বিষয় বিদ্যমান থাকার কারনে আমরা অকুপেশন ভিত্তিক চিকিৎসা প্রদান করতে খুব বেশি উৎসাহিত হই। সেই উৎসাহিত হয়ার কারন গুলো দয়া করে বলবেন কি?

১৪ এমন কোন বিষয় আছে কি যা বিদ্যমান থাকলে আরও ভাল ভাবে অকুপেশন ভিত্তিক চিকিৎসা প্রদান করা যেত বলে আপনার কাছে মনে হয়?

Appendix 4 A

Information Sheet

The name of the researcher is Nipa Monalisa. She is a student of 4th year B.Sc. in Occupational Therapy in Bangladesh Health Professions Institute (BHPI), the academic institute of Centre for the Rehabilitation of the Paralyzed (CRP). As a part of his academic issues, she has to conduct a research project in this academic year. So the researcher would like to invite you to participate in this study. The title of the study is **"Implementing Occupation Based Practice among Bangladeshi Occupational Therapists in different clinical settings."**

Your participation is voluntary in this study. You can withdraw your participation in anytime. There is not the facility to get any pay by this participation. The study will never be any harm to you .This study will help the Occupational therapists to know the experinece of different settings among others Occupational Therapists. And also help to know the facilitators and barriers of implementing OBP in future.

Confidentiality of all records will be highly maintained. The gathered information from you will not be disclosed anywhere except the researcher and supervisor. The study will never publish the name of participant anywhere.

If you have any query regarding the study, please feel free to ask the contact information stated below:

Nipa Monalisa Student of 4th year B.Sc. in Occupational Therapy Department of Occupational Therapy Bangladesh Health Professions Institute (BHPI), Centre for the Rehabilitation of the Paralysed (CRP), Chapain, Savar, Dhaka-1343

Appendix 4 B

Consent Form

This research is part of Occupational Therapy course and the name of the researcher is Nipa Monalisa .She is a student of 4th year B.Sc. in Occupational Therapy in Bangladesh Health Professions Institute (BHPI), the academic institute of Centre for the Rehabilitation of the Paralysed (CRP). The study was entitled as **"Implementing Occupation Based Practice among Bangladeshi Occupational Therapists in different clinical settings."**

The purpose of the study is to explore the present situation of Occupation Based Practice in Bangladesh. In this study I am a participant and I have been clearly informed about the purpose and aim of the study. I will have the right to refuse in taking part any time at any stage of the study. I will not be bound to answer to anybody. This study will help the Occupational therapists to know the experinece of different settings among others Occupational Therapists. And also help to know the facilitators and barriers of implementing OBP in future.

I have also been informed that, all the information collected from the interview will be only used for study purpose and safety and confidentiality will be maintained. My name and address will not be published anywhere. Only the researcher and supervisor will be eligible to access in the information for his publication of the research result. I have been informed about the above-mentioned information and I am willing to participate in the study with giving consent.

Signature/Finger print of the Participant:	Date:
Signature of the Researcher:	Date:
Signature/Finger print of the witness:	Date:

Appendix 4 C (English Questions)

1. How are you?

2. How long have you been doing this job?

3. What do you give more priority while providing Occupational Therapy treatment? Please describe in details.

4. What do you think about (OBP)? Can you describe please.

5. We know that Occupational Based treatment is important for Occupational Therapy treatment but why do you think it is important? Please describe in details.

6. Does settings can effect treatment in Occupational Therapy? What kind of effects it has you think?

7. You are working with patients for a long time. Can you please tell me how you decide what kind of treatment plan you decide depending on patients and how do you decide this?

8. Sometimes we see that some clients is less eager to take therapy. In this cases, how OBP in first session can play an important role to promote clients' interests and regularity for taking therapy?

9. Is it importance to client's active participation for implementing OBP ?

10. What type of criteria is needed for being a successful session?

11. Sometimes Occupational therapists see that they are obstructed to implement OBP.

12. We know that Occupational therapy is not much recognize in Bangladesh. Isn't a large obstacle to implement OBP? What do you think? Please describe it.

13. Many times we see that, some issues are being as a facilitators to implementing OBP? Can you tell which facilitators are these?

14. Is there anything you think that which could be support to implementing OBP in a proper way?

viii

Appendix 5

(Overall Information of Participants)

Participants	Sex	Profession	Working Area /	Working	Name of the		
Information	M/F		Clinical setting	experience	Institutions		
P1	Male	ОТ	Project	3 years	CRP		
P2	Female	ОТ	Outdoor& Indoor	3.5 years	NIMH		
P3	Female	OT	Neurological (Outpatient)	5 years	CRP		
P4	Female	ОТ	Stroke Rehabilitation	4.5 years	CRP		
P5	Female	ОТ	Pediatric Unit	2.5 years	CRP		
P6	Female	ОТ	School settings	2.5 years	Proyash		
P7	Female	ОТ	Pediatric Unit	2.5 years	CRP		
P8	Female	ОТ	SCI Inpatient Unit	4.5 years	CRP		
P9	Female	ОТ	Government sector	2.5 years	NINH		
P10	Female	ОТ	School settings	7 years	WMTS		
					CRP		
P11	Female	ОТ	School settings	6 years	AWF		
P12	Female	ОТ	SCI Inpatient Unit	5 years	CRP		
P13	Male	ОТ	Project	3 years	CDD		
P14	Female	OT	Government sector	3 years	NINH		